

02-12-01

A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the application of )

CHRIS BLACKSON,  
TODD ERNST, and  
XIAO-YANG HUANG )

Serial No. )

Filed )

For DRIVE SCHEMES FOR GRAY  
SCALE BISTABLE CHOLESTERIC  
REFLECTIVE DISPLAYS  
UTILIZING VARIABLE  
FREQUENCY PULSES )

**Certificate of Mailing Via  
Express Mail**

I hereby certify that this correspondence was deposited with the United States Postal Service as Express Mail - Label No. EL726085722US - "Express Mail Post Office to Addressee" service in an envelope addressed to: BOX PATENT APPLICATION, Assistant Commissioner of Patents and Trademarks, Washington, D.C. 20231 on this 9<sup>th</sup> day of February, 2001.

*Dorothy L. Carper*  
Dorothy L. Carper, Sec'y for Andrew B. Morton



**TRANSMITTAL SHEET**

Enclosed are the following documents:

Specification, Claims and Abstract (18 pages)

Nine (9) Sheets of Formal Drawings

Declaration and Power of Attorney

Check in the Amount of \$710.00 (filing fee)

Form PTO-1082 (in duplicate)

Assignment Transmittal Letter (Form PTO-1595)

Assignment

Check in the Amount of \$40.00

Return Receipt Postcard

**The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 18-0987. If a withdrawal is required from Deposit Account No. 18-0987, the undersigned attorney respectfully requests that the Commissioner of Patents and Trademarks cite Attorney Docket Number KDS.P0001 for billing purposes.**

Respectfully submitted,

*Andrew B. Morton*

Ray L. Weber, Reg. No. 26,519  
Andrew B. Morton, Reg. No. 37,400  
Renner, Kenner, Greive, Bobak,  
Taylor & Weber  
First National Tower, Fourth Floor  
Akron, Ohio 44308-1456  
Telephone: (330) 376-1242

Attorney Docket No: KDS.P0001



09780737 020901

Form PTO - 1082

Case Docket No. KDS.P0001

ASSISTANT COMMISSIONER FOR PATENTS  
Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of

Inventor(s): Chris Blackson, Todd Ernst, and Xiao-Yang Huang

For: Drive Schemes For Gray Scale Bistable Cholesteric Reflective Displays Utilizing Variable Frequency Pulses

Enclosed are:

- ☒ Specification, Claims and Abstract (18 pages)  
☒ Nine (9) sheets of drawing(s) (one xerographic copy)  
☒ An Assignment of the Invention to Kent Displays Incorporated  
☐ Assertion of Small Entity Status Under 37 CFR 1.9 and 37 CFR 1.27  
☒ A Declaration and Power of Attorney for Patent Application

The filing fee has been calculated as shown below:

Small Entity						Other Than A Small Entity	
For:	No.Filed	No.Extra	Rate	Fee	Or	Rate	Fee
Basic Fee				\$355.00			\$710.00
Total Claims	19-20		x9	\$ 0.00		x18	\$
Indep Claims	2-3		x40	\$ 0.00		x80	\$
___ Multiple Dep. Claim Presented			135			+270	\$
			Total	\$^0.00		Total	\$710.00

\_\_\_ Please charge my Deposit Account No. 18-0987 the amount of \$ \_\_\_\_\_. A duplicate copy of this sheet is enclosed.

☒ A check in the amount of \$710.00 to cover the filing fee is enclosed.

☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 18-0987. A duplicate copy of this sheet is enclosed.

- ☒ Any additional filing fees required under 37 CFR 1.16  
☐ Any patent application processing fees under 37 CFR 1.17

\_\_\_ The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to Deposit Account No. 18-0897. A duplicate copy of this sheet is enclosed.

- \_\_\_ Any patent application processing fees under 37 CFR 1.17  
 \_\_\_ The Issue Fee set in 37 CFR 1.18 at or before mailing of the Notice of Allowance, pursuant to 37 CFR 1.311(b)  
 \_\_\_ Any filing fees under 37 CFR 1.16 for presentation of extra claims

Respectfully submitted,



Ray L. Weber, Reg. No. 26,519  
 Andrew B. Morton, Reg. No. 37,400  
 Renner, Kenner, Greive, Bobak, Taylor & Weber  
 First National Tower, Fourth Floor  
 Akron, OH 44308-1456  
 (330) 761-6670  
 (330) 376-1242